Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 22, October 2, 2014

For the Period September 23 to 29, 2014

Great strides were made this past week as Saskatchewan producers now have 68 per cent of the crop combined and 22 per cent swathed or ready to straight-cut, according to Saskatchewan Agriculture's weekly Crop Report. Warm and dry weather allowed producers to nearly catch up to the five-year (2009-2013) average of 72 per cent combined and 18 per cent swathed or ready to straight-cut.

Harvest is most advanced in the southwestern region, where 78 per cent of the crop is now combined. Seventy-seven per cent is combined in the northwestern region; 75 per cent in the northeastern region; 72 per cent in the west-central region; 62 per cent in the southeastern region; and 53 per cent in the east-central region.

Rainfall this week ranged from trace amounts to 20 mm in the Carnduff area. Across the province, topsoil moisture conditions on cropland are rated as 17 per cent surplus, 78 per cent adequate and five per cent short. Hay land and pasture topsoil moisture is rated as eight per cent surplus, 85 per cent adequate and seven per cent short.

Harvest Progress in SK Per cent Combined All Crops	
Sept 29/14	68
5 year avg. (2009-2013)	72
Sept 30/13	79
Sept 24/12	89
Sept 26/11	91
Sept 27/10	29
Sept 28/09	72
10 year avg. (2004-2013)	70

Strong winds caused some damage this week. Quality continues to be a concern for many producers as higher-than-normal levels of fusarium head blight have been reported in many cereal crops. Moisture, frost and disease have also caused quality issues in many crops.

Farmers are busy harvesting and hauling bales.

One year ago
Seventy-nine per cent of the 2013 crop had been combined. Significant rain had slowed down harvest operations.
Follow the 2014 Crop Report on Twitter @SKAgriculture

Saskatchewan Harvest September 29 % combined	
Winter wheat*	94
Fall rye**	97
Spring wheat	66
Durum	68
Oats***	48
Barley	70
Canaryseed	30
Flax	14
Canola	70
Mustard	81
Soybeans	7
Lentils	87
Peas	96
Chickpeas	24

*includes three per cent 'other'
**includes 19 per cent 'other'
***includes four per cent 'other'

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Good progress was made with harvest this past week and producers now have 62 per cent of the crop in the bin with 23 per cent swathed or ready to straight-cut. The five-year (2009-2013) average for this time of year is 74 per cent combined. Harvest in furthest advanced in Crop District 3ASE where 78 per cent of the crop is combined. Seventy-three per cent of the crop is combined in 2A; 62 per cent in 1A; 60 per cent in 2B; and 50 per cent in 1B. The majority of producers in the region will need at least two or three weeks of good weather to complete harvest.

Warm and dry weather allowed many producers to combine large numbers of acres; however, heavy dews in the morning and evening continue to hamper progress. Rainfall over the weekend also halted harvest for some producers. The Carnduff area reported 20 mm of rainfall this past week, while the Moosomin area has reported the greatest amount of rainfall since April 1 (895 mm). Topsoil moisture conditions on cropland are rated as 40 per cent surplus, 59 per cent adequate and one per cent short. Hay land and pasture moisture is rated as 17 per cent surplus, 82 per cent adequate and one per cent short. Fields are very wet and are not able to support heavy equipment for long periods of time.

There are reports of much higher-than-normal levels of fusarium head blight across the region and significant downgrading at the elevator. Strong winds blew canola swaths around and have lodged or shelled out standing crops. Waterfowl such as geese and cranes continue to damage some crops.

Farmers are busy harvesting, spraying weeds and hauling bales.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Harvest continues to significantly advance and 78 per cent of the crop is now in the bin. An additional 13 per cent is swathed or ready to straight-cut. The five-year (2009-2013) average for this time of year is 80 per cent. Crop District 4B is the furthest advanced with 89 per cent of the crop combined. Eighty-six per cent is combined in 4A; 83 per cent in 3BN; 77 per cent in 3BS; 67 per cent in 3AN; and 63 per cent in 3AWS. Many producers in the region have wrapped up harvest, while others will need at least another week or two of good weather in order to finish.

Rainfall over the weekend halted harvest for many producers. The majority of the region received small amounts of rain while the Fife Lake area reported 19 mm. Since April 1, the Cadillac area has received the greatest amount of rain (596 mm). Topsoil moisture conditions on cropland are rated as 11 per cent surplus, 87 per cent adequate and two per cent short. Hay land and pasture moisture is rated as five per cent surplus, 93 per cent adequate and two per cent short.

Quality remains a concern for many producers as there are higher-than-normal levels of disease in durum and pulse crops. The recent rain has lodged standing crops and dry down is slow. There are reports of high grasshopper numbers in some areas of the region.

Farmers are busy harvesting, working fields and spraying weeds.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Significant progress was made in much of the region but harvest remains behind normal schedule for this time of year. Fifty-three per cent of the crop is now combined, up from 28 per cent last week. Thirty-two per cent is swathed or ready to straight-cut. The five-year (2009-2013) average for this time of year is 68 per cent combined. Fifty-six per cent of the crop is combined in Crop District 6A; 54 per cent in 5B and 47 per cent in 5A. Several more weeks of warm and dry weather is needed for most producers to finish harvest. High humidity is slowing dry down of the crop.

Little rainfall was received this past week, with the Esterhazy area reporting the greatest amount (4 mm). The Foam Lake area has received 730 mm of rain since April 1, the greatest amount for the region. Topsoil moisture conditions on cropland are rated as 24 per cent surplus, 75 per cent adequate and one per cent short. Hay land and pasture moisture is rated as 12 per cent surplus, 84 per cent adequate and four per cent short. Fields are still wet in many areas and equipment is getting stuck.

Quality remains a concern in much of the region as moisture, frost and disease have damaged crops. Strong winds blew canola swaths around and shelled out standing crops. There are many reports of higher-than-normal levels of fusarium head blight and significant downgrading at the elevator.

Farmers are busy harvesting, spraying weeds and hauling bales.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7A – Rosetown, Kindersley, Eston, Major; CD 7B - Kerrobert, Macklin, Wilkie and Biggar areas)

Harvest is rapidly progressing for many producers in the region. Seventy-two per cent of the crop is now in the bin, right in line with the five-year (2009-2013) average for this time of year. An additional 21 per cent is swathed or ready to straight-cut. Seventy-six per cent of the crop is combined in Crop District 6B; 71 per cent in 7B; and 68 per cent in 7A. Dry down is slow and high humidity is preventing long harvest days. The majority of producers will need at least another week or two of warm and dry weather in order to finish harvest. Much of the region received trace amounts of rain this past week, although the Major area reported 4 mm. Since April 1, the Major and Kerrobert areas have received 440 mm of rain, the greatest amount for the region. Topsoil moisture conditions on cropland are rated as 87 per cent adequate and 13 per cent short. Hay land and pasture topsoil moisture is rated as 83 per cent adequate and 17 per cent short.

There are reports of higher-than-normal levels of fusarium head blight in many parts of the region and significant downgrading is expected at the elevator. Strong winds over the weekend blew canola swaths around and lodged some standing crops.

Farmers are busy harvesting, hauling bales and aerating tough grain.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Continuous warm and dry weather allowed harvest to move well ahead of the five-year (2009-2013) average of 67 per cent. Seventy-five per cent of the 2014 crop is now in the bin, up from 45 per cent last week. An additional 24 per cent is swathed or ready to straight-cut. Crop District 8A has 78 per cent of the crop combined, while 8B and 9AE both have 73 per cent of the crop combined. Some producers have finished harvest while others will need at least another week or more of dry weather to finish.

Little rain was reported in the region this past week. The Humboldt area has received the greatest amount of rainfall since April 1 with 464 mm. Topsoil moisture conditions on cropland are rated as eight per cent surplus, 84 per cent adequate and eight per cent short. Hay land and pasture topsoil moisture is rated as 10 per cent surplus, 72 per cent adequate and 18 per cent short.

Quality concerns continue in the region as high fusarium head blight levels are being reported in some areas. Moisture, frost and disease have also caused quality issues. There are reports of geese and other waterfowl damaging some crops.

Farmers are busy harvesting, spraying weeds, moving cattle and hauling bales.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Tremendous harvest progress was made this past week, and 77 percent of the crop is now in the bin, up from 47 per cent last week. An additional 19 per cent is swathed or ready to straight-cut. The five-year (2009-2013) average for this time of year is 68 per cent combined. Seventy-seven per cent of the crop is combined in Crop District 9B and 76 per cent is combined in 9AW. While some producers have wrapped up harvest, others will need another week or more of warm and dry weather.
The Rapid View area received the greatest amount of rain this past week (3 mm), while the North Battleford area has received 521 mm since April 1. Topsoil moisture conditions on cropland are rated as four per cent surplus, 84 per cent adequate and 12 per cent short. Hay land and pasture topsoil moisture is rated as three per cent surplus, 80 per cent adequate and 17 per cent short.

There have been several reports of combine fires due to dry field conditions. There are also reports of cattle being moved home early due to lack of pasture growth. Seed quality remains a concern for many in the region as some canola crops have high green count.

Some cereal crops with high levels of fusarium head blight are being significantly downgraded at the elevator.

Farmers are busy harvesting, spraying weedy fields and moving cattle.

Saskatchewan Harvest Progress - October 2, 2014

***Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed**

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed)
southeast	3	0	4	92	1
southwest	0	0	1	89	10
east central	0	1	6	93	0
west central	0	0	0	100	0
northeast	0	0	0	100	0
northwest	0	0	0	100	0
provincial	**1**	**1**	**4**	**91**	**3**
Fall Rye	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	**% other (greenfeed)**
southeast	0	7	6	86	1
southwest	0	1	0	71	28
east central	0	0	0	100	0
west central	0	0	0	100	0
northeast	0	0	0	100	0
northwest	0	0	0	100	0
provincial	**0**	**1**	**1**	**79**	**19**
Spring Wheat	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	12	13	20	55	
southwest	8	5	16	71	
east central	15	19	17	49	
west central	7	9	22	62	
northeast	1	3	5	91	
northwest	2	4	8	86	
provincial	**8**	**10**	**16**	**66**	
Durum	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	16	8	13	63	
southwest	6	2	16	76	
east central	33	10	14	43	
west central	12	5	26	57	
northeast	0	3	5	92	
northwest	0	10	20	70	
provincial	**11**	**4**	**17**	**68**	
Barley	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	10	17	14	59	
southwest	5	4	10	81	
east central	11	21	9	59	
west central	12	9	15	64	
northeast	0	7	8	85	
northwest	3	15	5	77	
provincial	**8**	**12**	**10**	**70**	

Oats	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed)
southeast	18	21	13	48	0
southwest	14	7	16	44	19
east central	32	33	6	27	2
west central	21	12	7	46	14
northeast	2	20	16	62	0
northwest	16	9	24	42	9
provincial	**17**	**22**	**13**	**44**	**4**
Canaryseed	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	32	1	23	44	
southwest	46	2	25	27	
east central	40	10	27	23	
west central	51	5	23	21	
northeast	20	2	41	37	
northwest	0	0	0	100	
provincial	**41**	**4**	**25**	**30**	
Flax	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	59	9	16	16	
southwest	49	1	35	15	
east central	76	8	8	8	
west central	51	4	22	23	
northeast	36	27	25	12	
northwest	100	0	0	0	
provincial	**61**	**8**	**17**	**14**	
Canola	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	3	25	1	71	
southwest	1	13	2	84	
east central	3	37	1	59	
west central	1	16	1	82	
northeast	0	30	4	66	
northwest	2	25	1	72	
provincial	**2**	**26**	**2**	**70**	
Mustard	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	2	1	8	89	
southwest	6	0	10	84	
east central	37	3	22	38	
west central	2	12	7	79	
northeast	0	0	10	90	
northwest	N/A	N/A	NA	N/A	
provincial	**6**	**3**	**10**	**81**	
Soybeans	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	80	0	11	9	
southwest	91	0	8	1	
east central	100	0	0	0	
west central	100	0	0	0	
northeast	70	0	18	12	
northwest	N/A	N/A	NA	N/A	
provincial	**83**	**0**	**10**	**7**	

Field Peas	% Standing	% in swath	% ready to straight combine	% combined	
southeast	1	2	2	95	
southwest	3	0	1	96	
east central	1	0	5	94	
west central	4	0	1	95	
northeast	0	0	0	100	
northwest	1	0	0	99	
provincial	**3**	**0**	**2**	**95**	
Lentils	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	3	4	6	87	
southwest	5	0	4	91	
east central	4	1	12	83	
west central	5	1	12	82	
northeast	0	0	2	98	
northwest	0	0	0	100	
provincial	**4**	**1**	**8**	**87**	
Chickpeas	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	70	30	
southwest	52	0	24	24	
east central	N/A	N/A	N/A	N/A	
west central	50	0	12	38	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	**54**	**0**	**22**	**24**	

Crop Districts and Rural Municipalities in Saskatchewan



Government of Saskatchewan

0 25 50 100 150 200
Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Crop Districts - Saskatchewan Ministry of Agriculture

Geomatic Services, Ministry of Agriculture June 10, 2014

© 2014 Government of Saskatchewan

Weekly Rainfall

for the week ending September 29, 2014



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture October 1, 2014

© 2014 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period September 23 to 29, 2014

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	20	407
	3	Enniskillen	5	338
	33	Moose Creek	N/A	411
	34	Browning	16	459
	61	Antler	3	612
	63	Moose Mountain	6	567
	64	Brock	8	465
	65	Tecumseh	12	617
1B	91	Maryfield	6	645
	122	Martin	NIL	895
	123	Silverwood	3	494
	124	Kingsley	3	496
	125 A	Chester	6	533
	125 B	Chester	6	552
	151 A	Rocanville	5	598
	151 B	Rocanville	1	534
	154	Elcapo	N/A	532
	155 A	Wolseley	N/A	437
	155 B	Wolseley	N/A	378
	67	Weyburn	6	399
2A	68	Brokenshell	4	370
	97	Wellington	7	351
2B	127 A	Francis	2.5	477.5
	127 B	Francis	0	404.6
	129	Bratt's Lake	1.5	359.5
	131 A	Baildon	6	473
	131 B	Baildon	12	649.2
	156 A	Indian Head	0	506.5
	156 B	Indian Head	12	600.5
	157	South Qu'Appelle	2	579
	160 A	Pense	NIL	446
	160 B	Pense	N/A	75
	161	Moose Jaw	1	606
	162	Caron	1	573
	191	Marquis	NIL	544
3ASE	38 A	Laurier	5	502.9
	38 B	Laurier	4	422
	39 A	The Gap	N/A	354
	39 B	The Gap	4	441
3ASW	10	Happy Valley	2	405
	12	Poplar Valley	19	427
	40 A	Bengough	6	365
	40 B	Bengough	8	510
	42	Willow Bunch	15	390
	43	Old Post	10	366
	70	Key West	N/A	157.6
	73 A	Stonehenge	10.4	415.3
	73 B	Stonehenge	15	475
	74	Wood River	N/A	200.5
3AN	101	Terrell	3	409
	102	Lake Johnston	5.3	347.8
	103	Sutton	NIL	395
	132 A	Hillsborough	1	403.5
	132 B	Hillsborough	4	498
	134	Shamrock	4	371
	193 A	Eyebrow	NIL	478
	193 B	Eyebrow	3	507
	224	Maple Bush	N/A	382
3BS	17	Val Marie	5	566
	75 A	Pinto Creek	5	395
	75 B	Pinto Creek	N/A	347
	76	Auvergne	N/A	386
	77	Wise Creek	NIL	540
	78	Grassy Creek	NIL	450
	105	Glenbain	1	386
	106	Whiska Creek	NIL	535
	107	Lac Pelletier	NIL	300
	108	Bone Creek	NIL	410
3BN	137	Swift Current	N/A	41.59
	138 A	Webb	NIL	417.5
	138 B	Webb	NIL	425.5
	166	Excelsior	NIL	374
	167	Sask. Landing	NIL	453.7
	168 A	Riverside	N/A	407
	168 B	Riverside	NIL	354.5
	226	Victory	NIL	352
	228	Lacadena	NIL	335
	257	Monet	NIL	258.6
4A	49	White Valley	N/A	327
	51	Reno	NIL	298.1
	79	Arlington	NIL	455
	109 A	Carmichael	N/A	396
	109 B	Carmichael	N/A	269
	110	Piapot	NIL	332
	111	Maple Creek	N/A	253.5
4B	139	Gull Lake	NIL	386
	141	Big Stick	NIL	289
	142	Enterprise	NIL	358
	189	Pittville	N/A	162
	231	Happyland	N/A	298
5A	183 A	Fertile Belt	N/A	486
	183 B	Fertile Belt	4	532
	186	Abernethy	NIL	524
	211	Churchbridge	NIL	484
	213	Saltcoats	1	525
	216	Tullymet	NIL	387.5
	241	Calder	NIL	445
	243	Wallace	NIL	456
	244	Orkney	NIL	568
	245 A	Garry	1	577
	245 B	Garry	NIL	544
	245 C	Garry	1	576
	246	Ituna Bon Accord	2	528
	247	Kellross	NIL	496
	248	Touchwood	1	499
5B	271	Cote	NIL	482
	273	Sliding Hills	N/A	651
	277	Emerald	NIL	730
	305	Invermay	NIL	543
	307	Elfros	NIL	532
	308 A	Big Quill	NIL	432
	308 B	Big Quill	NIL	400
	331	Livingston	1	455
	334	Preeceville	N/A	112
	336	Sasman	2	440
	337	Lakeview	N/A	419
	338	Lakeside	NIL	473
	366	Kelvington	NIL	427
	367	Ponass Lake	NIL	468.5
6A	190 A	Dufferin	3	728
	190 B	Dufferin	3	686
	190 C	Dufferin	NIL	502
	190 D	Dufferin	1	294.5
	219	Longlaketon	2	524
	220	Mickillop	NIL	635
	221	Samia	NIL	579.4
	222	Craik	NIL	477
	251	Big Arm	NIL	554
	252	Arm River	NIL	518
	279	Mount Hope	NIL	507
	282	McCraney	N/A	418
	309	Prairie Rose	NIL	583
	310	Usborne	N/A	166.5
	312	Morris	N/A	127
	313	Lost River	N/A	425
	339	Leroy	NIL	529.8
	340	Wolverine	NIL	409
	341	Viscount	N/A	369
	343 A	Blucher	NIL	357.9
	343 B	Blucher	NIL	210
6B	254	Lorebum	NIL	361
	284	Rudy	NIL	424
	285	Fertile Valley	NIL	303
	286	Milden	N/A	363
	314	Dundurn	N/A	366
	344	Corman Park	NIL	375
	346	Perdue	NIL	376
	376	Eagle Creek	NIL	422
	403	Rosthern	1	340
7A	287	St. Andrews	NIL	424
	288	Pleasant Valley	N/A	411
	290 A	Kindersley	NIL	292
	290 B	Kindersley	NIL	198.3
	290 C	Kindersley	NIL	276.2
	292	Milton	N/A	333
	317 A	Marriott	NIL	205
	317 B	Marriott	NIL	355
	318	Mountain View	NIL	396
	320 A	Oakdale	NIL	351.1
	320 B	Oakdale	NIL	382
	321	Prairiedale	N/A	370
7B	347	Biggar	NIL	390
	350 A	Manposa	1	313.1
	350 B	Manposa	1	440
	351	Progress	N/A	375
	352	Heart's Hill	4	440
	377	Glenside	NIL	435
	378 A	Rosemount	NIL	309
	378 B	Rosemount	NIL	349
	379	Reford	NIL	404
	381	Grass Lake	N/A	355
	382	Eye Hill	NIL	350.3
	409	Buffalo	N/A	335
	410	Round Valley	NIL	369.9
8A	395	Porcupine	NIL	339
	397	Barrier Valley	NIL	409.8
	428	Star City	NIL	435
	456	Arborfield	NIL	451
	457	Connaught	N/A	380
	486	Moose Range	NIL	330
	487	Nipawin	NIL	262
8B	369	St. Peter	N/A	397
	370 A	Humboldt	NIL	464
	370 B	Humboldt	NIL	463
	371	Bayne	NIL	412
	372	Grant	NIL	414.1
	400	Three Lakes	N/A	500
	402	Fish Creek	NIL	417
	429	Flett's Springs	NIL	373
	459	Kinistino	N/A	413
	460	Birch Hills	N/A	408.8
9AE	488	Torch River	NIL	360
	491	Buckland	N/A	483
9AW	406	Mayfield	NIL	358
	435	Redberry	NIL	490
	436	Douglas	NIL	410
	463	Duck Lake	NIL	472.9
	467 A	Round Hill	2	521
9B	467 B	Round Hill	NIL	320
	438	Battle River	NIL	302
	440	Hillsdale	N/A	404
	442	Manitou Lake	NIL	311.4
	498 A	Parkdale	1	382
	498 B	Parkdale	N/A	302
	499	Mervin	NIL	246
	501 A	Frenchman Butte	NIL	353
	501 B	Frenchman Butte	NIL	294
	501 C	Frenchman Butte	N/A	361
	502	Britannia	NIL	278.5
	561	Loon Lake	NIL	352
	588 A	Meadow Lake	NIL	363
	588 B	Meadow Lake	3	432
	588 C	Meadow Lake	NIL	413
	588 D	Meadow Lake	N/A	389.2
	622	Beaver River	NIL	302.7

Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2014
To: September 29, 2014



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture October 1, 2014

© 2014 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

September 30, 2014



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture October 1, 2014

© 2014 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

September 30, 2014



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture October 1, 2014

© 2014 Government of Saskatchewan